

HEZHOU CITY YAOLONG TRADE CO., LTD.

Add: No.237 Lingfeng Street, Hezhou City, Guangxi, China

Tel: + 86 774 529 8182 Fax: +86 774 528 0555

Cellphone:+86 18278434058

MSDS-SODIUM CHLORATE



1. PRODUCT IDENTIFICATION

QUALITY STANDARD : GB/T1618-2008

SYNONYMS : SODA CHLORATE; CHLORAX; CHLORIC ACID, SODIUM SALT

CAS NO. : 7775-09-9

MOLECULAR WEIGHT: 106.44

CHEMICAL FORMULA : NACLO3

2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT	CAS NO	PERCENT	HAZARDOUS
-----	-----	-----	-----
SODIUM CHLORATE	7775-09-9	90 - 100%	YES

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER! STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. HARMFUL IF SWALLOWED. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. EXPOSURE MAY CAUSE METHEMOGLOBINEMIA, LIVER OR KIDNEY DAMAGE.

SAF-T-DATA(TM) RATINGS (PROVIDED HERE FOR YOUR CONVENIENCE)

HEALTH RATING : 2 - MODERATE (LIFE)

FLAMMABILITY RATING : 0 - NONE

REACTIVITY RATING : 3 - SEVERE (OXIDIZER)

CONTACT RATING : 2 - MODERATE

LAB PROTECTIVE EQUIP : GOGGLES & SHIELD; LAB COAT & APRON; VENT HOOD; PROPER GLOVES

STORAGE COLOR CODE : YELLOW (REACTIVE)

POTENTIAL HEALTH EFFECTS

INHALATION :

INHALATION OF DUST MAY CAUSE IRRITATION TO THE RESPIRATORY TRACT; SYMPTOMS MAY INCLUDE SORE THROAT, COUGHING, HEADACHE, AND DIZZINESS.

INGESTION :

CAUSES IRRITATION TO THE GASTROINTESTINAL TRACT. SYMPTOMS MAY INCLUDE NAUSEA, VOMITING AND DIARRHEA. MAY CAUSE ABDOMINAL PAIN, HEMOLYSIS, METHEMOGLOBINEMIA, CYANOSIS, ANURIA, COMA, AND CONVULSIONS. MAY CAUSE LIVER AND KIDNEY DAMAGE. DEATH MAY OCCUR FROM RENAL FAILURE, GENERALLY IN 4 DAYS. ESTIMATED LETHAL DOSE FROM 15 TO 30 GRAMS.

SKIN CONTACT :

CAUSES IRRITATION TO SKIN. SYMPTOMS INCLUDE REDNESS, ITCHING, AND PAIN.

EYE CONTACT :

CAUSES IRRITATION, REDNESS, AND PAIN.

CHRONIC EXPOSURE :

REPEATED INGESTION OF SMALL AMOUNTS MAY CAUSE LOSS OF APPETITE AND WEIGHT LOSS. CHRONIC EXPOSURE MAY CAUSE KIDNEY EFFECTS.

AGGRAVATION OF PRE-EXISTING CONDITIONS:

NO INFORMATION FOUND.

4. FIRST AID MEASURES

INHALATION :

REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. GET MEDICAL ATTENTION.

INGESTION :

INDUCE VOMITING IMMEDIATELY AS DIRECTED BY MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET MEDICAL ATTENTION.

SKIN CONTACT :

IMMEDIATELY FLUSH SKIN WITH PLENTY OF SOAP AND WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. GET MEDICAL ATTENTION. WASH CLOTHING BEFORE REUSE. THOROUGHLY CLEAN SHOES BEFORE REUSE.

EYE CONTACT :

IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES, LIFTING LOWER AND UPPER EYELIDS OCCASIONALLY. GET MEDICAL ATTENTION IMMEDIATELY.

5. FIRE FIGHTING MEASURES

FIRE :

NOT COMBUSTIBLE, BUT SUBSTANCE IS A STRONG OXIDIZER AND ITS HEAT OF REACTION WITH REDUCING AGENTS OR COMBUSTIBLES MAY CAUSE IGNITION. WHEN HEATED, IT RELEASES OXYGEN WHICH INCREASES COMBUSTION.

EXPLOSION :

CONTACT WITH OXIDIZABLE SUBSTANCES MAY CAUSE EXTREMELY VIOLENT COMBUSTION. SEALED CONTAINERS MAY RUPTURE WHEN HEATED. SENSITIVE TO MECHANICAL IMPACT. SENSITIVE TO STATIC DISCHARGE.

FIRE EXTINGUISHING MEDIA :

USE ANY MEANS SUITABLE FOR EXTINGUISHING SURROUNDING FIRE. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.

SPECIAL INFORMATION :

IN THE EVENT OF A FIRE, WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE PRESSURE DEMAND OR OTHER POSITIVE PRESSURE MODE.

6. ACCIDENTAL RELEASE MEASURES

REMOVE ALL SOURCES OF IGNITION. VENTILATE AREA OF LEAK OR SPILL. WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT AS SPECIFIED IN SECTION 8. SPILLS: CLEAN UP SPILLS IN A MANNER THAT DOES NOT DISPERSE DUST INTO THE AIR. USE NON-SPARKING TOOLS AND EQUIPMENT. REDUCE AIRBORNE DUST AND PREVENT SCATTERING BY MOISTENING WITH WATER. PICK UP SPILL FOR RECOVERY OR DISPOSAL AND PLACE IN A CLOSED CONTAINER.

7. HANDLING AND STORAGE

KEEP IN A TIGHTLY CLOSED CONTAINER, STORED IN A COOL, DRY, VENTILATED AREA. PROTECT AGAINST PHYSICAL DAMAGE AND MOISTURE. ISOLATE FROM ANY SOURCE OF HEAT OR IGNITION. AVOID STORAGE ON WOOD FLOORS. SEPARATE FROM INCOMPATIBLES, COMBUSTIBLES, ORGANIC OR OTHER READILY OXIDIZABLE MATERIALS. CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS WHEN EMPTY SINCE THEY RETAIN PRODUCT RESIDUES (DUST, SOLIDS); OBSERVE ALL WARNINGS AND PRECAUTIONS LISTED FOR THE PRODUCT.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

AIRBORNE EXPOSURE LIMITS : NONE ESTABLISHED.

VENTILATION SYSTEM :

A SYSTEM OF LOCAL AND/OR GENERAL EXHAUST IS RECOMMENDED TO KEEP EMPLOYEE EXPOSURES AS LOW AS POSSIBLE. LOCAL EXHAUST VENTILATION IS GENERALLY PREFERRED BECAUSE IT CAN CONTROL THE EMISSIONS OF THE CONTAMINANT AT ITS SOURCE, PREVENTING DISPERSION OF IT INTO THE GENERAL WORK AREA. PLEASE REFER TO THE ACGIH DOCUMENT, INDUSTRIAL VENTILATION, A MANUAL OF RECOMMENDED PRACTICES, MOST RECENT EDITION, FOR DETAILS.

PERSONAL RESPIRATORS (NIOSH APPROVED) :

FOR CONDITIONS OF USE WHERE EXPOSURE TO DUST OR MIST IS APPARENT AND ENGINEERING CONTROLS ARE NOT FEASIBLE, A PARTICULATE RESPIRATOR (NIOSH TYPE N95 OR BETTER FILTERS) MAY BE WORN. IF OIL PARTICLES (E.G LUBRICANTS, CUTTING FLUIDS, GLYCERINE, ETC.) ARE PRESENT, USE A

NIOSH TYPE R OR P FILTER. FOR EMERGENCIES OR INSTANCES WHERE THE EXPOSURE LEVELS ARE NOT KNOWN, USE A FULL-FACE POSITIVE-PRESSURE, AIR-SUPPLIED RESPIRATOR. WARNING: AIR-PURIFYING RESPIRATORS DO NOT PROTECT WORKERS IN OXYGEN-DEFICIENT ATMOSPHERES.

SKIN PROTECTION :

WEAR IMPERVIOUS PROTECTIVE CLOTHING, INCLUDING BOOTS, GLOVES, LAB COAT, APRON OR COVERALLS, AS APPROPRIATE, TO PREVENT SKIN CONTACT.

EYE PROTECTION :

USE CHEMICAL SAFETY GOGGLES AND/OR FULL FACE SHIELD WHERE DUSTING OR SPLASHING OF SOLUTIONS IS POSSIBLE. MAINTAIN EYE WASH FOUNTAIN AND QUICK-DRENCH FACILITIES IN WORK AREA.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	:	WHITE CRYSTALS
ODOR	:	ODORLESS.
SOLUBILITY	:	100G/100ML WATER @ 20C (68F).
SPECIFIC GRAVITY	:	2.5
PH	:	AQUEOUS SOLUTION IS NEUTRAL.
% VOLATILES BY VOLUME @ 21C (70F)	:	0
BOILING POINT	:	NO INFORMATION FOUND.
MELTING POINT	:	248C (478F)
VAPOR DENSITY (AIR=1)	:	4.2
VAPOR PRESSURE (MM HG)	:	NO INFORMATION FOUND.
EVAPORATION RATE (BUAC=1)	:	NO INFORMATION FOUND.

10. STABILITY AND REACTIVITY

STABILITY : STABLE UNDER ORDINARY CONDITIONS OF USE AND STORAGE.

HAZARDOUS DECOMPOSITION PRODUCTS :

MAY EMIT TOXIC CHLORIDE FUMES WHEN HEATED TO DECOMPOSITION. MAY EMIT TOXIC CHLORIDE FUMES AND SODIUM OXIDE WHEN HEATED TO DECOMPOSITION.

HAZARDOUS POLYMERIZATION : WILL NOT OCCUR.

INCOMPATIBILITIES : ALUMINUM, STRONG ACIDS, STRONG REDUCING AGENTS, ORGANIC MATTER AND OTHER OXIDIZABLE SUBSTANCES..

CONDITIONS TO AVOID : HEAT, FLAME, IGNITION SOURCES, SHOCK, FRICTION, INCOMPATIBLES.

11. TOXICOLOGICAL INFORMATION

ORAL RAT LD50: 1200 MG/KG SKIN RABBIT LD50: > 10G/KG.IRRITATION DATA: SKIN RABBIT 500MG/24 HR MILD. EYE RABBIT 10MG MILD. INVESTIGATED AS A MUTAGEN.

-----\CANCER LISTS\-----

--NTP CARCINOGEN--

INGREDIENT	KNOWN	ANTICIPATED	IARC CATEGORY
SODIUM CHLORATE (7775-09-9)	NO	NO	NONE

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE : WHEN RELEASED INTO THE SOIL, THIS MATERIAL MAY LEACH INTO GROUNDWATER.

ENVIRONMENTAL TOXICITY : NO INFORMATION FOUND.

13. DISPOSAL CONSIDERATIONS

WHATEVER CANNOT BE SAVED FOR RECOVERY OR RECYCLING SHOULD BE HANDLED AS HAZARDOUS WASTE AND SENT TO A RCRA APPROVED WASTE FACILITY. PROCESSING, USE OR CONTAMINATION OF THIS PRODUCT MAY CHANGE THE WASTE MANAGEMENT OPTIONS. STATE AND LOCAL DISPOSAL REGULATIONS MAY DIFFER FROM FEDERAL DISPOSAL REGULATIONS. DISPOSE OF CONTAINER AND UNUSED CONTENTS IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REQUIREMENTS.

14. TRANSPORT INFORMATION

DOMESTIC (LAND, D.O.T.)

PROPER SHIPPING NAME : SODIUM CHLORATE
HAZARD CLASS : 5.1
UN/NA : UN1495
PACKING GROUP : II
INFORMATION REPORTED FOR PRODUCT/SIZE : 500G

INTERNATIONAL (WATER, I.M.O.)

PROPER SHIPPING NAME : SODIUM CHLORATE
HAZARD CLASS : 5.1
UN/NA : UN1495
PACKING GROUP : II
INFORMATION REPORTED FOR PRODUCT/SIZE : 500G

15. REGULATORY INFORMATION

-----\CHEMICAL INVENTORY STATUS - PART 1\-----

INGREDIENT	TSCA	EC	JAPAN	AUSTRALIA
SODIUM CHLORATE (7775-09-9)	YES	YES	YES	YES

-----\CHEMICAL INVENTORY STATUS - PART 2\-----

--CANADA--

INGREDIENT	KOREA	DSL	NDSL	PHIL.
SODIUM CHLORATE (7775-09-9)	YES	YES	NO	YES

-----\FEDERAL, STATE & INTERNATIONAL REGULATIONS - PART 1\-----

-SARA 302- -----SARA 313-----

INGREDIENT	RQ	TPQ	LIST	CHEMICAL CATG.
SODIUM CHLORATE (7775-09-9)	NO	NO	NO	NO

-----\FEDERAL, STATE & INTERNATIONAL REGULATIONS - PART 2\-----

-RCRA- -TSCA-

INGREDIENT	CERCLA	261.33	8(D)
SODIUM CHLORATE (7775-09-9)	NO	NO	NO

CHEMICAL WEAPONS CONVENTION : NO TSCA 12(B) : NO CDTA : NO
 SARA 311/312 : ACUTE: YES CHRONIC : YES FIRE : NO PRESSURE : NO
 REACTIVITY : YES (PURE / SOLID)

16. OTHER INFORMATION

NFPA RATINGS: HEALTH: 1 FLAMMABILITY: 0 REACTIVITY: 1 OTHER: **OXIDIZER**

LABEL HAZARD WARNING:

DANGER! STRONG OXIDIZER. CONTACT WITH OTHER MATERIAL MAY CAUSE FIRE. HARMFUL IF SWALLOWED. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. EXPOSURE MAY CAUSE METHEMOGLOBINEMIA, LIVER OR KIDNEY DAMAGE.

LABEL PRECAUTIONS:

KEEP FROM CONTACT WITH CLOTHING AND OTHER COMBUSTIBLE MATERIALS.

STORE IN A TIGHTLY CLOSED CONTAINER.

REMOVE AND WASH CONTAMINATED CLOTHING PROMPTLY.

WASH THOROUGHLY AFTER HANDLING.

AVOID CONTACT WITH EYES, SKIN AND CLOTHING.

AVOID BREATHING DUST.

USE ONLY WITH ADEQUATE VENTILATION.

LABEL FIRST AID:

IF SWALLOWED, INDUCE VOMITING IMMEDIATELY AS DIRECTED BY MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES OR SKIN WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. WASH CLOTHING BEFORE REUSE. IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IN ALL CASES, GET MEDICAL ATTENTION.

PRODUCT USE:

LABORATORY REAGENT.